


Providing Meaningful and Actionable Decision Tools to Local and Regional Stakeholders across the Southeastern U.S.

J. Greg Dobson and Jim Fox

National Environmental Modeling and Analysis Center

University of North Carolina at Asheville




COMMUNITY NEEDS

- **Better and affordable access to tools and information**
- **More equipped to assess risk**
- **Tools that can integrate within their own current technology**
 - Not solutions they are not asking for

INFORMATION & TOOLS LEAD TO DECISIONS


- Communities and the business sector within them will **not** make decisions based on climate alone
- Driven by **values**, not just data
- Must engage with decision makers from the beginning




MULTI-HAZARD RISK TOOL (BUNCOMBE COUNTY [ASHEVILLE], NC)

- **Purpose of Project:** Tool for Emergency Managers that integrates multiple risks including flooding, wildfire, landslides, winter storms, dam failures, among others
- **Scale:** County
- **Use of Climate Data:** Drought, flooding, precipitation, winter storm occurrence

Integrated Geospatial Data Viewer





Conceptual Model




= individual city and county municipal department

NCDOT – Landslide Issues




Selected Landslide Events and Rainfall Amounts for Western North Carolina



Water Shortage and Drought Issues

Monthly Palmer Hydrological Drought Index
(Southern NC Mountains 1985-2008)




Source: State Climate Office of NC

The graph above is a long-term drought index indicating impacts to water resources, such as reservoirs and groundwater levels. The index helps to understand the variability (frequency and severity) of precipitation in the region. Positive values in green indicate wet conditions whereas the negative values in red indicate dry conditions. While the index shows much variability since 1985, the two longest dry periods have occurred in the last thirty years.

- **Vulnerability – water services**


- 2002 drought
 - Impacted 200 municipalities
- 2007 drought
 - Worst on record since 1895
 - 7,200 wildfires

Average Annual Precipitation (1981 - 2010)



The two droughts led several towns to initiate projects to ensure adequate future water supply

Decision Making Building Blocks



3D MODELING AND VISUALIZATION TOOLS (BROWARD COUNTY - FT. LAUDERDALE, FL)

- **Purpose of study:** Develop 3D-based tools and simulations to enhance effective decision making
- **Scale:** City & County
- **Use of Climate Data:** Flooding, precipitation, sea-level rise, storm surge

FOREST CHANGE ASSESSMENT VIEWER (SOUTHEASTERN UNITED STATES)

- **Purpose of study:** Ingests remotely sensed data to assess forest change and health
- **Scale:** Regional – Southeast
- **Use of Climate Data:** Precipitation, drought, temperature extremes

ForWarn

Satellite-Based Change Recognition and Tracking

[Home](#)[Overview](#)[News](#)[Highlights](#)[Data](#)[Support](#)


Heavy snowpack in the Northwest

A strong La Niña in the tropical east Pacific contributed to an unusually heavy snowpack in the Pacific Northwest during the 2010-11 winter. As seen in this 32-day time sequence for western Washington and Oregon, spring greenup conditions were...

[read more »](#)

What is ForWarn?

ForWarn is a satellite-based forest disturbance monitoring system for the conterminous United States. It delivers new forest change products every eight days and provides tools for attributing abnormalities to insects, disease, wildfire, storms, human development or unusual weather. Archived data provide disturbance tracking across all lands since 2000. Interactive maps are accessible via the [Forest Change Assessment Viewer](#). Read more about ForWarn [here](#).



Recent News

[Official ForWarn News Release Now Available](#)

03/21/2012 - 09:25 The official news release from the USDA Forest Service and NASA announcing *ForWarn* is now available for download!

[\[Download\] USDA FS AND NASA JOINT PRESS RELEASE 03 15 12.DOC](#)


[Introducing the Pest Proximity Database](#)

02/17/2012 - 10:40 The new Pest Proximity Database, now built into the Forest Change Assessment Viewer, helps determine which insects and disease agents are most likely to have been responsible for new forest...

[more news »](#)


Website for Visualization and Story Telling

2011 Drought Effects on Forest Vegetation



Storytelling on the web to support the GIS Viewer

THREE TIER ARCHITECTURE



SUMMARY

- **Tools and solutions should be driven by values that are based on climate and non-climate data**
- **Ensure that tools are flexible enough to work across municipal departments**
- **New and innovative solutions – 3D visualization**
- **Work with the end user to design tools that are exactly what they need**
 - Not black boxes that don't meet their needs

QUESTIONS?

J. Greg Dobson
GIS Research Scientist
UNC Asheville's NEMAC
gdobson@unca.edu